

DANGER
Keep out of reach of children
ECOTOXIC



HALOX 100 EC

Herbicide for control of grass weeds in white clover, forestry, orchards, nurseries, non- crop areas and certain broadleaf crops.

ACTIVE INGREDIENT:

100 g/L haloxyfop-P present as the methyl ester in the form of an emulsifiable concentrate.
Also contains 467 g/L hydrocarbon solvent.

Contains

5
litres



DATE OF
MANUFACTURE:

BATCH No:

EMERGENCY RESPONSE: Call 0800 CHEMCALL, or 0800 243 622 (24 hours)
In a transport emergency call 111, Police or Fire Brigade.

HALOX 100 EC

READ THE LABEL AND LEAFLET COMPLETELY BEFORE MIXING OR APPLYING

GHS Classifications: Flammable liquid Category 4, Aspiration hazard Category 1, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment chronic Category 2.

DANGER: May be fatal if swallowed and enters airways.

WARNING: Causes serious eye irritation. May cause organ damage from repeated oral exposure at high doses. Combustible liquid. Keep away from heat/sparks/hot surfaces. No smoking.

ECOTOXIC: Toxic to aquatic organisms with long lasting effects. Do not apply directly into or onto water. **Take all reasonable steps to ensure the product does not cause any significant adverse effects to the environment beyond the application area.** This product must be under the control of a suitably qualified handler when mixed, loaded, or applied..

PRECAUTIONS: Avoid contact with eyes and skin. Avoid inhalation of spray mist.

PROTECTIVE CLOTHING: When mixing or applying this product, overalls, boots, gloves, and eye protection should be worn. Do not eat, drink, or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals/rest breaks and after work. Clean personal protective clothing and equipment before reuse.

SPRAYING EQUIPMENT: Apply only with well-maintained and calibrated equipment.

STORAGE: Store locked up in original container, tightly closed and away from foodstuffs. Store in a cool dry well-ventilated area, avoiding sunlight. Storage must be in accordance with the latest version of the NZ Standard for the Management of Agrochemicals (NZS8409).

In case of fire: Stop leak if safe to do so. Use foam, CO2, dry chemical, or fine water spray. Prevent extinguishing media from entering watercourses.

DISPOSAL: Avoid contamination of any water supply with product or empty container.

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible alternatively contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Dispose at an approved landfill. Do not burn. Do not use container for any other purpose.

SPILLAGE: Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb spill with inert material such as soil, sand, etc and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely to an approved landfill.

medical advice. If splashed in eyes, wash out immediately with water. Remove contact lenses, if present and easy to do and continue rinsing. Get medical advice if irritation persists. If skin or hair contact occurs, remove contaminated clothing and wash skin with soap and water.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD: For peas and lentils do not apply later than flowering. For asparagus do not apply during the cutting season. For Onions do not apply within 5 weeks of harvest.

SOIL RESIDUES: Do not plant cereal, maize or grass crops within 12 weeks of treatment.

RESISTANT WEEDS WARNING: HALOX 100EC is a GROUP A HERBICIDE. Naturally occurring weed biotypes resistant to Aryloxyphenoxypropionates (FOPs) herbicides can become more prevalent after many years of continuous use.

To delay the onset of, or control resistant weeds, use in rotation with herbicides of a different mode of action. Since the occurrence of resistant weeds is difficult to detect prior to use Rainbow & Brown Ltd accepts no liability for losses that may result from the failure of this product to control resistant weeds.

RAINFASTNESS: Product is rainfast one hour after application.

COMPATIBILITY: Product may be tank mixed with herbicides such as Terbutylazine, Simazine, Atrazine and Clopyralid.

Registered pursuant to the ACVM Act 1997 No: P009925

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996 No HSR008025

See www.epa.govt.nz for approval conditions

WARRANTY: This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Registrant:

Rainbow & Brown Ltd
68a Tallyho Street, Rotorua 3015
P O Box 100 49, Mail Centre, Rotorua 3046
Freecall 0508 299 299.
www.RainbowBrown.co.nz



FIRST AID: For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If swallowed DO NOT induce vomiting. Rinse mouth. Immediately get